

Fault Group Statistics

Fault Groups by Size

Fault Groups of Size 17: [1]			
Isolated Fault Group	Replacement Cost	Replacement Time	Failure Probability
Fault Group # 61	1099.00	365.00	0.111998

Fault Groups of Size 3: [1]			
Isolated Fault Group	Replacement Cost	Replacement Time	Failure Probability
Fault Group # 88	273.00	120.00	0.001964

Fault Groups of Size 2: [14]			
Isolated Fault Group	Replacement Cost	Replacement Time	Failure Probability
Fault Group # 78	306.00	120.00	0.009504
Fault Group # 102	306.00	120.00	0.007997
Fault Group # 104	306.00	120.00	0.006543
Fault Group # 15	271.00	1200.00	0.001621
Fault Group # 17	271.00	1200.00	0.001621
Fault Group # 19	271.00	1200.00	0.001621
Fault Group # 21	271.00	1200.00	0.001621
Fault Group # 63	271.00	1200.00	0.001621
Fault Group # 65	271.00	1200.00	0.001621
Fault Group # 67	271.00	1200.00	0.001621
Fault Group # 69	271.00	1200.00	0.001621
Fault Group # 106	306.00	120.00	0.001188
Fault Group # 115	242.00	75.00	0.000018
Fault Group # 124	242.00	75.00	0.000016
TOTALS:	3876.00	10230.00	0.038236

Fault Groups of Size 1: [190]			
Isolated Fault Group	Replacement Cost	Replacement Time	Failure Probability
Fault Group # 147	3.00	15.00	0.074936
Fault Group # 149	3.00	15.00	0.074936
Fault Group # 150	3.00	15.00	0.074936
Fault Group # 13	0.00	0.00	0.042698
Fault Group # 0	50.00	10.00	0.036506
Fault Group # 1	50.00	10.00	0.036506
Fault Group # 2	50.00	10.00	0.036506
Fault Group # 3	50.00	10.00	0.036506
Fault Group # 152	20.00	30.00	0.032473
Fault Group # 154	20.00	30.00	0.032473
Fault Group # 4	60.00	15.00	0.019484
Fault Group # 10	60.00	15.00	0.019484
Fault Group # 27	20.00	30.00	0.016237
Fault Group # 151	20.00	30.00	0.016237
Fault Group # 28	20.00	30.00	0.016236
Fault Group # 153	20.00	30.00	0.016236
Fault Group # 103	60.00	15.00	0.009742
Fault Group # 167	294.00	30.00	0.008444

Fault Group # 168	294.00	30.00	0.008444
Fault Group # 169	294.00	30.00	0.008444
Fault Group # 170	294.00	30.00	0.008444
Fault Group # 148	45.00	45.00	0.005294
Fault Group # 9	45.00	60.00	0.004883
Fault Group # 5	4.00	10.00	0.004871
Fault Group # 11	4.00	10.00	0.004871
Fault Group # 194	294.00	30.00	0.004433
Fault Group # 195	294.00	30.00	0.004433
Fault Group # 196	294.00	30.00	0.004433
Fault Group # 197	294.00	30.00	0.004433
Fault Group # 171	294.00	30.00	0.004011
Fault Group # 172	294.00	30.00	0.004011
Fault Group # 173	294.00	30.00	0.004011
Fault Group # 174	294.00	30.00	0.004011
Fault Group # 6	87.00	45.00	0.003593
Fault Group # 12	87.00	45.00	0.003593
Fault Group # 7	45.00	60.00	0.002442
Fault Group # 175	210.00	1500.00	0.001982
Fault Group # 176	210.00	1500.00	0.001982
Fault Group # 177	210.00	1500.00	0.001982
Fault Group # 178	210.00	1500.00	0.001982
Fault Group # 22	103.00	60.00	0.001353
Fault Group # 179	630.00	2400.00	0.001261
Fault Group # 180	630.00	2400.00	0.001261
Fault Group # 181	630.00	2400.00	0.001261
Fault Group # 182	630.00	2400.00	0.001261
Fault Group # 198	50.00	10.00	0.001067
Fault Group # 199	50.00	10.00	0.001067
Fault Group # 200	50.00	10.00	0.001067
Fault Group # 201	50.00	10.00	0.001067
Fault Group # 202	50.00	10.00	0.001067
Fault Group # 203	50.00	10.00	0.001067
Fault Group # 204	50.00	10.00	0.001067
Fault Group # 205	50.00	10.00	0.001067
Fault Group # 189	630.00	2400.00	0.001040
Fault Group # 79	629.00	20.00	0.000855
Fault Group # 80	629.00	20.00	0.000855
Fault Group # 8	103.00	60.00	0.000677
Fault Group # 14	124.00	0.00	0.000630
Fault Group # 16	124.00	0.00	0.000630
Fault Group # 18	124.00	0.00	0.000630
Fault Group # 20	124.00	0.00	0.000630
Fault Group # 62	124.00	0.00	0.000630
Fault Group # 64	124.00	0.00	0.000630
Fault Group # 66	124.00	0.00	0.000630
Fault Group # 68	124.00	0.00	0.000630
Fault Group # 29	630.00	2400.00	0.000520
Fault Group # 30	630.00	2400.00	0.000520
Fault Group # 31	630.00	2400.00	0.000520
Fault Group # 32	630.00	2400.00	0.000520
Fault Group # 33	630.00	2400.00	0.000520
Fault Group # 34	630.00	2400.00	0.000520
Fault Group # 35	630.00	2400.00	0.000520
Fault Group # 36	630.00	2400.00	0.000520
Fault Group # 37	630.00	2400.00	0.000520

Fault Group # 38	630.00	2400.00	0.000520
Fault Group # 39	630.00	2400.00	0.000520
Fault Group # 40	630.00	2400.00	0.000520
Fault Group # 41	630.00	2400.00	0.000520
Fault Group # 42	630.00	2400.00	0.000520
Fault Group # 43	630.00	2400.00	0.000520
Fault Group # 44	630.00	2400.00	0.000520
Fault Group # 155	630.00	2400.00	0.000520
Fault Group # 156	630.00	2400.00	0.000520
Fault Group # 157	630.00	2400.00	0.000520
Fault Group # 158	630.00	2400.00	0.000520
Fault Group # 159	630.00	2400.00	0.000520
Fault Group # 160	630.00	2400.00	0.000520
Fault Group # 161	630.00	2400.00	0.000520
Fault Group # 162	630.00	2400.00	0.000520
Fault Group # 183	630.00	2400.00	0.000520
Fault Group # 184	630.00	2400.00	0.000520
Fault Group # 185	630.00	2400.00	0.000520
Fault Group # 186	630.00	2400.00	0.000520
Fault Group # 187	630.00	2400.00	0.000520
Fault Group # 188	630.00	2400.00	0.000520
Fault Group # 163	140.00	10.00	0.000487
Fault Group # 164	140.00	10.00	0.000487
Fault Group # 71	227.00	30.00	0.000262
Fault Group # 146	227.00	30.00	0.000250
Fault Group # 90	227.00	30.00	0.000228
Fault Group # 91	227.00	30.00	0.000228
Fault Group # 92	227.00	30.00	0.000228
Fault Group # 93	227.00	30.00	0.000228
Fault Group # 94	227.00	30.00	0.000228
Fault Group # 95	227.00	30.00	0.000228
Fault Group # 76	227.00	30.00	0.000203
Fault Group # 81	227.00	30.00	0.000081
Fault Group # 72	227.00	30.00	0.000076
Fault Group # 45	90.00	0.00	0.000074
Fault Group # 46	90.00	0.00	0.000074
Fault Group # 47	90.00	0.00	0.000074
Fault Group # 48	90.00	0.00	0.000074
Fault Group # 126	90.00	0.00	0.000074
Fault Group # 131	90.00	0.00	0.000074
Fault Group # 136	90.00	0.00	0.000074
Fault Group # 141	90.00	0.00	0.000074
Fault Group # 82	227.00	30.00	0.000063
Fault Group # 116	227.00	30.00	0.000063
Fault Group # 49	90.00	0.00	0.000062
Fault Group # 50	90.00	0.00	0.000062
Fault Group # 51	90.00	0.00	0.000062
Fault Group # 52	90.00	0.00	0.000062
Fault Group # 127	90.00	0.00	0.000062
Fault Group # 132	90.00	0.00	0.000062
Fault Group # 137	90.00	0.00	0.000062
Fault Group # 142	90.00	0.00	0.000062
Fault Group # 96	227.00	30.00	0.000059
Fault Group # 89	227.00	30.00	0.000056
Fault Group # 107	227.00	30.00	0.000052
Fault Group # 100	227.00	30.00	0.000052

Fault Group # 73	227.00	30.00	0.000051
Fault Group # 74	227.00	30.00	0.000051
Fault Group # 75	227.00	30.00	0.000051
Fault Group # 83	227.00	30.00	0.000047
Fault Group # 125	227.00	30.00	0.000047
Fault Group # 23	95.00	0.00	0.000043
Fault Group # 24	95.00	0.00	0.000043
Fault Group # 25	95.00	0.00	0.000043
Fault Group # 26	95.00	0.00	0.000043
Fault Group # 190	95.00	0.00	0.000043
Fault Group # 191	95.00	0.00	0.000043
Fault Group # 192	95.00	0.00	0.000043
Fault Group # 193	95.00	0.00	0.000043
Fault Group # 97	227.00	30.00	0.000039
Fault Group # 98	227.00	30.00	0.000039
Fault Group # 99	227.00	30.00	0.000039
Fault Group # 108	227.00	30.00	0.000037
Fault Group # 117	227.00	30.00	0.000034
Fault Group # 130	90.00	0.00	0.000024
Fault Group # 135	90.00	0.00	0.000024
Fault Group # 140	90.00	0.00	0.000024
Fault Group # 145	90.00	0.00	0.000024
Fault Group # 84	227.00	30.00	0.000018
Fault Group # 109	227.00	30.00	0.000018
Fault Group # 110	227.00	30.00	0.000018
Fault Group # 111	227.00	30.00	0.000018
Fault Group # 112	227.00	30.00	0.000018
Fault Group # 113	227.00	30.00	0.000018
Fault Group # 114	227.00	30.00	0.000018
Fault Group # 118	227.00	30.00	0.000016
Fault Group # 119	227.00	30.00	0.000016
Fault Group # 120	227.00	30.00	0.000016
Fault Group # 121	227.00	30.00	0.000016
Fault Group # 122	227.00	30.00	0.000016
Fault Group # 123	227.00	30.00	0.000016
Fault Group # 165	65.00	2.00	0.000009
Fault Group # 53	90.00	0.00	0.000006
Fault Group # 54	90.00	0.00	0.000006
Fault Group # 55	90.00	0.00	0.000006
Fault Group # 56	90.00	0.00	0.000006
Fault Group # 128	90.00	0.00	0.000006
Fault Group # 133	90.00	0.00	0.000006
Fault Group # 138	90.00	0.00	0.000006
Fault Group # 143	90.00	0.00	0.000006
Fault Group # 57	90.00	0.00	0.000003
Fault Group # 58	90.00	0.00	0.000003
Fault Group # 59	90.00	0.00	0.000003
Fault Group # 60	90.00	0.00	0.000003
Fault Group # 129	90.00	0.00	0.000003
Fault Group # 134	90.00	0.00	0.000003
Fault Group # 139	90.00	0.00	0.000003
Fault Group # 144	90.00	0.00	0.000003
Fault Group # 166	65.00	5.00	0.000002
Fault Group # 70	15.00	45.00	< 0.000001
Fault Group # 77	227.00	30.00	0.000000
Fault Group # 85	227.00	30.00	0.000000

Fault Group # 86	227.00	30.00	0.000000
Fault Group # 87	227.00	30.00	0.000000
Fault Group # 101	227.00	30.00	0.000000
Fault Group # 105	227.00	30.00	0.000000
TOTALS:	44967.00	92637.00	0.741991